
POWER HOUSE nZEC Project Wiesbaden workshop 4-12-2013

Monitoring: Presentation of the Consumption data On-line Tracker


We use the Hive web database:

http://panel.hiveproject.net


Database entities



Conversion coefficients




Building elements



Building elements

Heated spaces: net area, gross area. If only one is given, the system calculate the other according to equation: net area = 80% gross area




Consumption meters

Consumption meters

Consumption meters have different properties:

- Energy vector: natural gas, electricity, district heating...
- Usage:
 - Space heating
 - Water heating
 - Space cooling
 - Technical services
- Shared/ direct
- Real/ formula
- •

Examples



EASY!

One building with many dwellings, all residential

1 heated space

1 shared meter – district heating – space and water heating

1 shared meter – electricity – technical services including ventilation

Examples



One complex of 8 buildings, each with 5 to 10 living unit (60 in total)

60 heated space

60 direct meter – natural gas – space and water heating

8 shared meter – electricity – technical services, no ventilation

8 shared meters – electricity – PV energy feeded into the grid

Examples



In both cases, although the input data are very different, the system generates for the unregistered users the same type of energy balance, with only total values for the entire building/ complex!

Input data

Frequency. There 2 possiblities:

- Once per year (over the turn of the year)
- Twice per year (April and October)


Data format. Each enrgy vercor has its own unit: electricity kWh_e, district heating kWh_t, natural gas Nm³...

Input data

Data format. The system asks for the value of the meter at a certain date. So date of the reading and value will be entered in the systems.

In case period data are available, this can be used as well. For best accurancy, provide always starting and ending date of each period.

Example



Other required input data

 Degree of occupancy (optional), for each heated space, between 0 and 100% with intervals of 5%

Demonstration

Now let's have a look to the website:

http://panel.hiveproject.net